

iQ300, Fully-integrated dishwasher, 60 cm, varioHinge SN73HX10VG



Optional accessories

SZ30BI02	decorative strips stainless steel 81,5cm
SZ38BI00	Connection rail for divided furniture
SZ72010	inlet and outlet hose extention 2 m
SZ73000	Dishwashing aid set
SZ73050GB	Mains Kabel with GB-Plug
SZ73100	cutlery basket
SZ73300	Wineglass-Tray
SZ73640	Rack insert for stemware dishwasher

Excellent wifi-enabled varioHinge dishwasher with program status projection on the floor, operable using a smartphone or voice assistant device.

- ✓ Optimal installation in your kitchen – varioHinge.
- ✓ varioSpeed Plus – Wash and dry your dishes up to three times faster.
- ✓ More flexibility for more convenient loading with the varioFlex rack & varioDrawer.
- ✓ infoLight shines with a blue light on the kitchen floor when running but goes out when the washing and drying cycle is over.
- ✓ Home Connect – Control your smart dishwasher, no matter where you are.

Features

Technical Data

Energy Efficiency Class: D
Energy Consumption for 100 cycles Eco Programme: 85 kWh
Maximum number of place settings: 14
The water consumption of the eco programme in liters per cycle:	9.0 l
Programme duration: 4:30 h
Airborne acoustical noise emissions : 46 dB(A) re 1 pW
Airborne acoustical noise emission class: C
Built-in / Free-standing: Built-in
Height of removable worktop: 0 mm
Dimensions of the product: 815 x 598 x 550 mm
Min. required niche size for installation (HxWxD):	..815-875 x 600 x 550 mm
Depth with open door 90 degree: 1150 mm
Adjustable feet: Yes - all from front
Maximum adjustability feet: 60 mm
Adjustable plinth: Both horizontal and vertical
Weight: 35.1 kg
Gross weight: 39.0 kg
Connection Rating: 2400 W
Fuse protection: 10 A
Nominal power: 220-240 V
Frequency: 50; 60 Hz
Length electrical supply cord: 175.0 cm
Plug type: GB plug
Length inlet hose: 165 cm
Length outlet hose: 190 cm
EAN code: 4242003958964
Installation type: Fully integrated



4 242003 958964

iQ300, Fully-integrated dishwasher, 60 cm, varioHinge SN73HX10VG

Features

Performance

- Energy Efficiency Class¹: D
- Energy² / Water³: 85 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration⁴: 4:30 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

Programmes/functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Speed 65 °C, Speed 45 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, intensiveZone, Half Load, Speed on Demand - varioSpeed Plus
- Add-On functions via Home Connect app: Hygiene Plus, Silence on Demand
- Machine care programme

Flexible design elements

- varioFlex baskets
- varioDrawer - loading of cutlery on 3rd level
- 3 stage rackMatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Upper rack cup shelf

Innovations and technology

- Home Connect ready
- Heat exchanger - Hygienic and efficient drying
- hydroSensor
- dosageAssist detergent dispenser
- iQDrive motor
- Automatic detergent-aware system
- Glass care protection system

Design features

- varioHinge 50mm
- Controls on top edge of door
- infoLight (blue) - Light projection on the floor
- Time delay (3, 6 or 24 hours)
- acoustic end of cycle indicator
- aquaStop®: Siemens home appliances' warranty in case of water damage – throughout the lifetime of the appliance.*
- Self-cleaning filter system with 3 piece corrugated filter
- steam protection plate
- Stainless steel/polinox interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C


* Please find warranty terms under <https://www.siemens-home.bsh-group.com/uk/customer-service/warranty/additional-warranties>

¹ Scale of Energy Efficiency Classes from A to G


**iQ300, Fully-integrated
dishwasher, 60 cm, varioHinge
SN73HX10VG**

Dimensioned drawings

measurements in mm



socket
() values with extension kit



measurements in mm