QUICK REFERENCE GUIDE > WM1480P1

# Front Loader Washing Machine, 8kg

Series 5 | Front Load

White




This front loader cares for all kinds of fabrics, with a cycle for everything from delicates to bulky items.

- 14 wash cycles including Allergy, Handwash and a 15 minute Super Quick cycle to cater for busy lives
- Add a Garment function allows you to add items mid cycle
- 1400 RPM spin speed means more water is extracted from your wash resulting in a shorter dry cycle

#### **DIMENSIONS**

Height	850 mm
Width	600 mm
Depth	570 mm



#### **FEATURES & BENEFITS**

#### Add a Garment

Missed an item from your wash? With our Add a Garment function, simply press a button and open the door to add or remove items. Then carry on washing.

#### Quick cycles

Vortex Wash speeds up the cleaning process so most cycles take less than an hour to complete. During the tumble action, water is forced from the bottom of the drum up through your clothes so detergent and heat reach your fabric faster.

### Intelligent washing

Our world-first SmartDrive™ technology uses a motor that constantly provides feedback to a computer which controls the tumble and spin action, resulting in a quicker, quieter and more reliable wash.

#### Quiet performer

Using a direct drive motor removes the need for belts, pulleys and the traditional block designed to hold down the machine. Without these heavy components, there are less vibrations for a quieter wash.

#### **Energy efficient**

Our front loaders can be installed with both hot and cold water inlets allowing for better energy efficiency and quicker wash cycles. Cold water can be heated within the washer or hot water can be drawn directly from your plumbing.

#### Timed dispenser

A liquid dispenser ensures detergent is distributed at exactly the right time in the cycle to optimize wash performance.

#### Easy to use

This machine has a cycle to suit every load type including
Allergy, Delicate and Handwash. Select a cycle with the easy to
use SmartTouch™ control dial.

#### **SPECIFICATIONS**

Accessories		
Stacking kit		•
Capacity		
Capacity		8kg

#### Consumption

Annual energy consumption

165kWh

QUICK REFERENCE GUIDE > WM1480P1 Date: 29.04.2021 > 2

Energy rating         A+++         SmartDrive" technology         6           Water consumption per cycle         43L         Spin performance         B           Features         Cyotex" Wash         Center           Add a garment (immediate         1         Depth         \$70 mm           Auti-fungal door gasket         1         Depth         \$50 mm           Auto out of balance correction         1         Helight         \$80 mm           Automatic water level         1         Width         600 mm           Choice of cold only or hot and         1         Warranty         Tenter           Customise cycle         1         Warranty         \$100 mm           Elegy start         1         Parts and labour         \$ 9 me           Eco         1         Parts and labour         \$ 9 me           Evertain is seption         1         Bulky         1           Reliquit         1         Bulky	Annual water consumption	9500L	Number of spin speeds	4
Features         Vortex™ Wash            Add a garment (immediate         • Product dimensions           Anti-fungal door gasket         • Depth         570 mm           Auto out of balance correction         • Height         850 mm           Automatic water level         • Width         600 mm           Choice of cold only or hot and         • Warranty           Customise cycle         • Warranty         5 years           Ecc         • Parts and labour         5 years           Extra rinse option         • Parts only direct drive motor         5 years           Extra rinse option         • Wash Cycles           Keylock         • Allergy         •           Keylock         • Allergy         •           No spin / Spin Hold         • Bulky         •           Pre Wash         • Cottons         •           Smart Touch™ control dial         • Delicate         •           Soil levels         3         Drum Clean         •           Spin speeds         No Spin, 500, 800, 1100, 1400         Everyday         •           Timed liquid detergent         • Handwash         •           Wrinkel Free         • Quick         •           Wrinkel Free         • Quick	Energy rating	A+++	SmartDrive™ technology	•
Features         Product dimensions           Add a garment (immediate         • Product dimensions           Anti-fungal door gasket         • Depth         570 mm           Auto out of balance correction         • Width         600 mm           Automatic water level         • Width         600 mm           Choice of cold only or hot and         • Customise cycle         • Warranty           Customise cycle         • Parts and labour         5 years           Eco         • Parts only direct drive motor         5 years           Extra rinse option         • Wash Cycles           Keylock         • Allergy         •           Keylock         • Bulky         •           No spin / Spin Hold         • Bulky         •           Pre Wash         • Cottons         •           Soll levels         3         Drum Clean         •           Soll levels         3         Drum Clean         •           Spin speeds         No Spin, 500, 800, 1100, 1400         •         •         •           Stainless steel drum bowl         • Handwash         •         •           Water temperature controls         5         Number of wash cycles         14           Wrinkle Free         • Quick	Water consumption per cycle	43L	Spin performance	В
Add a garment (immediate         Product dimensions           Anti-fungal door gasket         Depth         570 mm           Auto out of balance correction         Height         850 mm           Automatic water level         Width         600 mm           Choice of cold only or hot and         The control of cold only or hot and         The control of cold only or hot and           Customise cycle         Warranty         Parts and labour         5 years           Eco         Parts only direct drive motor         5 years           Extra rinse option         Wash Cycles           Keylock         Allergy         Product of cold only or hot and           Keylock         Bulky         Product of cold only or hot and           No spin / Spin Hold         Bulky         Product of cold only or hot and           Spin spends         No Spin, Spin Hold         Policiate         Policiate           Soull levels         3         Drum Clean         Porum Clean           Spin speeds         No Spin, 500, 800, 1100, 1400         Everyday         Policiate           Spin speeds         No Spin, 500, 800, 1100, 1400         Everyday         Policiate           Wrinkle Free         Policiate         Policiate         Policiate           Wrinkle Free         Policiate <td></td> <td></td> <td>Vortex™ Wash</td> <td>•</td>			Vortex™ Wash	•
Anti-fungal door gasket         .         Depth         570 mm           Auto out of balance correction         .         Height         850 mm           Automatic water level         .         Width         600 mm           Choice of cold only or hot and         .         .         .           Customise cycle         .         Warranty         .           Delay start         .         Parts and labour         5 years           Eco         .         Parts only direct drive motor         5 years           Extra rinse option         .         .           Flood protection         .         Wash Cycles           Keylock         .         Allergy         .           No spin / Spin Hold         .         Bulky         .           Pre Wash         .         Cottons         .           SmartTouch™ control dial         .         Delicate         .           Spin speeds         No Spin, 500, 800, 1100, 1400         Everyday         .           Stainless steel drum bowl         .         Handwash         .           Uvrinkle Free         .         Quick         .           Wrinkle Free         .         Quick         .           Wrin	Features			
Auto out of balance correction Automatic water level Automatic water level Choice of cold only or hot and Choice of cold only or hot and Customise cycle Belay start Customise cycle Parts and labour Spars only direct drive motor Spars Eco Parts only direct drive motor Spars Extra rinse option Wash Cycles Extra rinse option Wash Cycles Extra rinse option Wash Cycles Extra rinse option Bulky Allergy Allerg	Add a garment (immediate	•	Product dimensions	
Automatic water level • Width 600 mm   Choice of cold only or hot and • Warranty   Customise cycle • Warranty   Delay start • Parts and labour 5 years   Eco • Parts only direct drive motor 5 years   Extra rinse option • Wash Cycles   Extra rinse option • Allergy •   Keylock • Allergy •   No spin / Spin Hold • Bulky •   Pre Wash • Cottons •   SmartTouch™ control dial • Delicate •   Soil levels 3 Drum Clean •   Spin speeds No Spin, 500, 800, 1100, 1400 Everyday •   Stainless steel drum bowl • Handwash •   Timed liquid detergent • Heavy •   Water temperature controls 5 Number of wash cycles 14   Wrinkle Free • Quick •   Wrinkle Free • Quick •   Performance Spin •   Maximum spin speed 1400rpm Super Quick •   Nose (spin) 688BA Synthetics •	Anti-fungal door gasket	•	Depth	570 mm
Choice of cold only or hot and •   Customise cycle • Warranty   Delay start • Parts and labour 5 years   Eco • Parts only direct drive motor 5 years   Extra rinse option • Wash Cycles   Keylock • Allergy •   No spin / Spin Hold • Bulky •   Pre Wash • Cottons •   SmartTouch™ control dial • Delicate •   Soil levels 3 Drum Clean •   Spin speeds No Spin, 500, 800, 1100, 1400 Everyday •   Stainless steel drum bowl • Handwash •   Timed liquid detergent • Heavy •   Water temperature controls 5 Number of wash cycles 14   Wrinkle Free • Quick •   Performance Spin • Spin •   Maximum spin speed 1400rpm Super Quick •   Nose (spin) 68dBA Synthetics •	Auto out of balance correction	•	Height	850 mm
Customise cycleWarrantyDelay start• Parts and labour5 yearsEco• Parts only direct drive motor5 yearsExtra rinse option• Wash CyclesFlood protection• Wash CyclesKeylock• Allergy•No spin / Spin Hold• Bulky•Pre Wash• Cottons•SmartTouch™ control dial• Delicate•Spin speedsNo Spin, 500, 800, 1100, 1400Everyday•Stainless steel drum bowl• Handwash•Timed liquid detergent• Heavy•Water temperature controls5 Number of wash cycles14Wrinkle FreeQuick•PerformanceSpin•Maximum spin speed1400rpmSuper Quick•Noise (spin)68dBASynthetics•	Automatic water level	•	Width	600 mm
Delay start         •         Parts and labour         5 years           Eco         •         Parts only direct drive motor         5 years           Extra rinse option         •         ————————————————————————————————————	Choice of cold only or hot and	•		
Eco         •         Parts only direct drive motor         5 years           Extra rinse option         •         Parts only direct drive motor         5 years           Flood protection         •         Wash Cycles           Keylock         •         Allergy         •           No spin / Spin Hold         •         Bulky         •           Pre Wash         •         Cottons         •           SmartTouch™ control dial         •         Delicate         •           Soil levels         3         Drum Clean         •           Spin speeds         No Spin, 500, 800, 1100, 1400         Everyday         •           Stainless steel drum bowl         •         Handwash         •           Timed liquid detergent         •         Heavy         •           Water temperature controls         5         Number of wash cycles         14           Wrinkle Free         •         Quick         •           Performance         Spin         •           Maximum spin speed         1400rpm         Super Quick         •           Nose (spin)         68dBA         Synthetics         •	Customise cycle	•	Warranty	
Extra rinse option         •         Wash Cycles           Flood protection         •         Allergy         •           Keylock         •         Allergy         •           No spin / Spin Hold         •         Bulky         •           Pre Wash         •         Cottons         •           SmartTouch™ control dial         •         Delicate         •           Soil levels         3         Drum Clean         •           Spin speeds         No Spin, 500, 800, 1100, 1400         Everyday         •           Stainless steel drum bowl         •         Handwash         •           Timed liquid detergent         •         Heavy         •           Water temperature controls         5         Number of wash cycles         14           Wrinkle Free         •         Quick         •           Performance         Spin         •           Maximum spin speed         1400rpm         Super Quick         •           Noise (spin)         68dBA         Synthetics         •	Delay start	•	Parts and labour	5 years
Flood protection  Flood prote	Eco	•	Parts only direct drive motor	5 years
Keylock No spin / Spin Hold Pre Wash Pre Wash Soil levels Soil levels Spin speeds No Spin, 500, 800, 1100, 1400 Stainless steel drum bowl Timed liquid detergent Water temperature controls Winkle Free Performance Maximum spin speed No Spin 1400rpm No spin / Spin Hold Pre Wash Allergy Allergy Bulky Cottons  Cottons  Delicate  Periores Spin peeds Purum Clean Everyday Peryday Peryday Peryday Peryday Peryday Peryday Peryday Peryoday Pe	Extra rinse option	•		
No spin / Spin Hold Pre Wash Cottons SmartTouch™ control dial Delicate Delicate Soil levels Spin speeds No Spin, 500, 800, 1100, 1400 Stainless steel drum bowl Timed liquid detergent Heavy Water temperature controls Myrinkle Free Quick Wrinkle Free Rinse Performance Maximum spin speed 1400rpm Super Quick No spin, 500 8dBA Sulky Cottons Delicate Everyday Perioan Everyday Handwash Handwash Handwash Lavy Rinse Rinse Spin Spin Spin Super Quick Spin Super Quick Spynthetics	Flood protection	•	Wash Cycles	
Pre Wash SmartTouch™ control dial Soil levels Soil levels Soil levels Soin speeds No Spin, 500, 800, 1100, 1400 Everyday Stainless steel drum bowl Timed liquid detergent Water temperature controls Soil levels Winkle Free Berformance Maximum spin speed 1400rpm Noise (spin) Soliky Dethors Delicate Delicate Spin Cottons Everyday Everyday Alandwash Heavy Heavy Alandwash Beavy Alandwash Beavy Alandwash Beavy Alandwash Beavy Be	Keylock	•	Allergy	•
SmartTouch™ control dial · Delicate .  Soil levels 3 Drum Clean .  Spin speeds No Spin, 500, 800, 1100, 1400 Everyday .  Stainless steel drum bowl · Handwash .  Timed liquid detergent · Heavy .  Water temperature controls 5 Number of wash cycles 14  Wrinkle Free · Quick .  Performance Spin Speed 1400rpm Super Quick .  Maximum spin speed 1400rpm Super Quick .  Noise (spin) 68dBA Synthetics .	No spin / Spin Hold	•	Bulky	•
Soil levels 3 Drum Clean .  Spin speeds No Spin, 500, 800, 1100, 1400 Everyday .  Stainless steel drum bowl	Pre Wash	•	Cottons	•
Spin speeds No Spin, 500, 800, 1100, 1400 Everyday .  Stainless steel drum bowl . Handwash .  Timed liquid detergent . Heavy .  Water temperature controls . Number of wash cycles .  Wrinkle Free . Quick .  Performance . Spin .  Maximum spin speed . 1400rpm . Super Quick .  Noise (spin) . 68dBA . Synthetics .	SmartTouch™ control dial	•	Delicate	•
Stainless steel drum bowl	Soil levels	3	Drum Clean	•
Timed liquid detergent  • Heavy  Water temperature controls  5 Number of wash cycles  14  Wrinkle Free  • Quick  Rinse  Performance  Spin  Maximum spin speed  1400rpm Super Quick  Noise (spin)  68dBA Synthetics	Spin speeds	No Spin, 500, 800, 1100, 1400	Everyday	•
Water temperature controls  5 Number of wash cycles  14 Wrinkle Free   Quick Rinse Spin  Maximum spin speed 1400rpm Super Quick Noise (spin)  68dBA Synthetics	Stainless steel drum bowl	•	Handwash	•
Wrinkle Free  Performance Maximum spin speed Noise (spin)  Rinse Spin Super Quick Super Quick Synthetics Synthetics	Timed liquid detergent	•	Heavy	•
Rinse •  Performance Spin •  Maximum spin speed 1400rpm Super Quick •  Noise (spin) 68dBA Synthetics •	Water temperature controls	5	Number of wash cycles	14
PerformanceSpin•Maximum spin speed1400rpmSuper Quick•Noise (spin)68dBASynthetics•	Wrinkle Free	•	Quick	•
Maximum spin speed 1400rpm Super Quick • Noise (spin) 68dBA Synthetics •			Rinse	•
Noise (spin) 68dBA Synthetics •	Performance		Spin	•
oynanciae oynanciae	Maximum spin speed	1400rpm	Super Quick	•
Noise (wash) 50dBA	Noise (spin)	68dBA	Synthetics	•
	Noise (wash)	50dBA		

SKU 98139

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > WM1480P1 Date: 29.04.2021 > 3

## Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty Booklet



Installation Guide



## A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 08000 886 605 **W**www.fisherpaykel.com