QUICK REFERENCE GUIDE > OR90SCG4B1

# Freestanding Range Cooker, Dual Fuel, 90cm, 5 Burners

Series 7 | Classic

Black




Get the best of both worlds with dual fuel. A gas hob with wok burner is paired with a nine-function convection oven.

- Five burner gas hob, with precise heat control
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake with pizza mode and rapid proof for making bread
- · Non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height 898 - 946 mm
Width 897 mm
Depth 600 mm



#### **FEATURES & BENEFITS**

#### Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

#### Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable hob trivets and glowing halo dials all add up to an exceptional, premium range.

## Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Large capacity oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### Easy to clean

Your hob simply needs a quick wipe to keep it looking good as new for years to come, as the gas hob is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

#### Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

#### **SPECIFICATIONS**

#### Accessories

#### Capacity

| Shelf positions | 6    |
|-----------------|------|
| Total capacity  | 140L |

QUICK REFERENCE GUIDE > OR90SCG4B1

| Usable capacity                 | 120L | Full extension telescopic   | 1 set (part 578744)         | Depth                           | 600 mm       |
|---------------------------------|------|-----------------------------|-----------------------------|---------------------------------|--------------|
|                                 |      | Internal light              | 4 x 25W halogen (2 side & 2 | Height                          | 898 - 946 mm |
| Cleaning                        |      | Soft open/close door        | •                           | Installation cutout dimensions  | 600 mm       |
| Acid resistant graphite enamel  | •    | Storage drawer              | •                           | Installation cutout dimensions  | 900 mm       |
| Drop down grill element         | •    | True convection             | •                           | Width                           | 897 mm       |
| Removable oven door             | •    | Twin cavity fans            | •                           |                                 |              |
| Removable oven door inner       | •    |                             |                             | Hob Features                    |              |
| Removable shelf runners         | •    | Oven functions              |                             | Dishwasher safe trivets         | •            |
|                                 |      | Bake                        | •                           | Hob rail                        | •            |
| Consumption                     |      | Classic bake                | •                           | Hob rear trim                   | 60mm         |
| Energy rating                   | A    | Energy slow cook            | •                           | LPG/Natural gas compatible      | •            |
|                                 | ^    | Fan bake                    | •                           | Sealed range top                | •            |
| Controls                        |      | Fan forced                  | •                           |                                 |              |
| Audio feedback                  | _    | Fan grill                   | •                           | Hob Performance                 |              |
|                                 |      | Grill                       | •                           | Dual wok burner inner/outer     | 0.3 - 4.5kW  |
| Automatic cooking/minute        | •    | Number of functions         | 9                           | Dual wok burner inner/outer     | 0.4 - 4.5kW  |
| Automatic pre-set               | •    | Pastry Bake with Pizza mode | •                           | Max burner power                | 4.5kW        |
| Bright chromed, cast zinc dials | •    | Rapid proof                 | •                           | Number of burners               | 5            |
| Celsius/Fahrenheit              | •    | Roast                       | •                           | Semi-rapid burner (LPG) x2      | 0.45 - 1.2kW |
| Electronic clock                | •    |                             |                             | Semi-rapid burner (natural      | 0.45 - 1.2kW |
| Interior light                  | •    | Oven performance            |                             | Total cooktop power             | 14.9kW       |
| Laser etched graphics           | •    | CoolTouch door              | Quadruple glazed            | Triple ring wok burner (LPG)    | 1.8 - 4kW    |
| Precise electronic temperature  | •    | Grill power                 | 4500W                       | Triple ring wok burner (natural | 1.8 - 4kW    |
| Sabbath mode                    | •    |                             |                             |                                 |              |
| Turned stainless steel clock    | •    | Power requirements          |                             | Safety                          |              |
| Oven features                   |      | Amperage                    | 22A                         | Advanced cooling system         | •            |
| AeroTech™ technology            |      | Supply frequency            | 50Hz                        | Anti-tilt bracket               | •            |
| Automatic rapid pre-heat        | •    | Supply voltage              | 220 - 240V                  | Balanced oven door              | •            |
| Electronic oven control         |      |                             |                             | CoolTouch door                  | •            |
| Electronic oven control         | -    | Product dimensions          |                             | Flame failure system            | •            |

QUICK REFERENCE GUIDE > OR90SCG4B1 Date: 01.04.2021 > 3

| Full extension telescopic | •       |
|---------------------------|---------|
| Non-tip shelves           | •       |
| Spill containment         | 2.6L    |
|                           |         |
| Warranty                  |         |
| Parts and labour          | 5 years |
|                           |         |
|                           |         |
| SKU                       | 81697   |
|                           |         |

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty Booklet



Installation Guide



Installation Guide (KICK-STRIP ATTACHMENT)



### A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com