

iQ500, Built-in oven, 60 x 60 cm,  
Stainless steel  
HB578G5S6B



Included accessories

- 2 x combination grid
- 1 x universal pan

Optional accessories

- HZ915003
- HZ66X650
- HZ638300
- HZ634000
- HZ538000
- HZ531010
- HZ531000
- HZ327000

Shorten your cooking time thanks to fast preheat, coolStart and activeClean. And remote control your oven from anywhere with Home Connect.

- ✓ fast preheat: reach the required baking temperature sooner; coolStart: no need to preheat the oven for deep frozen food.
- ✓ activeClean: the automatic system for effortless cleaning.
- ✓ cookControl30: automatic programs ensure best results.
- ✓ lightControl: intuitive operation thanks to the illuminated dial.
- ✓ 3D hotAir: perfect baking results on up to 3 shelves thanks to innovative heat distribution.

Features

Technical Data

Color / Material Front : Stainless steel  
Construction type : Built-in  
Integrated Cleaning system : Pyrolytic  
Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550  
Dimensions : 595 x 594 x 548  
Dimensions of the packed product (HxWxD) (mm) : 675 x 690 x 660  
Control Panel Material : Glass  
Door Material : Glass  
Net weight (kg) : 38.285  
Usable volume of cavity (l) : 71  
Cooking method : Conventional heat, Full width grill, Hot Air, Hotair gentle, Hot air grilling, low temperature cooking, Pizza setting  
First cavity material : Other  
Temperature control : electronic  
Number of interior lights : 1  
Approval certificates : CE, VDE  
Length of electrical supply cord (cm) : 120  
EAN code : 4242003861165  
Number of cavities (2010/30/EC) : 1  
Energy efficiency rating : A  
Energy consumption per cycle conventional (2010/30/EC) : 0.99  
Energy consumption per cycle forced air convection (2010/30/EC) : 0.81  
Energy efficiency index (2010/30/EC) : 95.3  
Connection rating (W) : 3600  
Current (A) : 16  
Voltage (V) : 220-240  
Frequency (Hz) : 50; 60  
Plug type : no plug



## iQ500, Built-in oven, 60 x 60 cm, Stainless steel HB578G5S6B

### Features

#### Design

- LCD Display (White)
- lightControl: intuitive operation thanks to the illuminated dials
- Cavity inner surface: enamel grey
- Drop down oven door, softClose, softOpen
- 
- Stainless steel control dial, lightControl: intuitive operation thanks to the illuminated dials, round
- Bar handle
- We recommend you to choose complementary products within iQ500, in order to assure an optimal design combination of your Built-In appliances.

#### Features

- Digital temperature display with proposal
- Heating-up indicator
- cookControl
- Automatic start
- Temperature probe
- 
- Electronic door lock
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Door contact switch
- 
- WLAN - Home connect enabled
- Automatic programmes
- cookControl, 30
- roastingSensor
- 
- Electronic oven clock timer
- Integral cooling fan
- Interior halogen light, Light on/off when door opened/closed
- 5 shelf positions in oven

#### Cleaning

- activeClean
- Full glass inner door

#### Programmes/functions

- Oven with 8 main functions, 8 main functions heating methods: 3D hot air, conventional top & bottom heating, hot air grilling, full width grill, Pizza setting, coolStart, low temperature cooking, Hotair gentle
- Fast preheat

#### Accessories

- 2 x combination grid, 1 x universal pan
- 1 varioClip rail, Stop function




#### Technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.99 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main cavity
- Heat source: electrical
- Cavity volume: 71 litres

- Temperature range 30 °C - 275 °C
- Total connected load electric: 3.6 KW
- 120 cm Cable length
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

## iQ500, Built-in oven, 60 x 60 cm, Stainless steel HB578G5S6B

### Dimensioned drawings



### Installation with a hob.

