


iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CM678G4S1



Included accessories

- 1 x enamel baking tray
- 1 x combination grid
- 1 x universal pan

Optional accessories

- | | |
|----------|---------------------------------------|
| HZ915003 | Glass roasting dish, 5,4 L |
| HZ66X600 | Decor list |
| HZ636000 | Glass pan |
| HZ634080 | Baking and roasting grid (microwave) |
| HZ631070 | Baking tray, anthracite enamelled |
| HZ625071 | Grill tray, anthracite enamelled |
| HZ531010 | Baking tray, non-stick ceramic coated |

- ✓ varioSpeed – Prepare excellent dishes up to 50% faster.
- ✓ activeClean® – The automatic, self-cleaning oven system.
- ✓ TFT touchdisplay Plus – Touch navigation for simple and intuitive operation.
- ✓ roastingSensor Plus – Three-point thermometer for excellent roasts every time.
- ✓ cookControl Plus – Build success into your baking.

Features

Technical Data

Type of micro-wave oven : MW-Combi
 Type of control : Electronic
 Color / Material Front : Stainless steel
 Cavity dimensions : 237.0 x 480 x 392.0 mm
 Approval certificates : CE, VDE
 Length of electrical supply cord : 150 cm
 Net weight : 38.7 kg
 Gross weight : 41.0 kg
 EAN code : 4242003658383
 Maximum micro-wave power : 900 W
 Connection rating : 3600 W
 Fuse protection : 16 A
 Voltage : 220-240 V
 Frequency : 60; 50 Hz
 Plug type : GARDY plug w/ earthing
 Cavity dimensions : 237.0 x 480 x 392.0 mm



4 242003 658383

iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CM678G4S1

Features

Features

- Compact oven with microwave with 15 PC heating methods: 4D hot air, hotairGentle, conventional top & bottom heating, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza setting, coolStart, bottom heat, intensive conventional heat, low temperature cooking, keep warm, dehydrate, plate warming
- Additional heating methods with microwave: Microwave, Combi microwave variable
- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, 900 W)
- Temperature range 30 °C - 275 °C
- Cavity volume: 45 litres

Level independent telescopic rails

- 3 shelf positions
- 1 level telescopic shelf, pyrolytic proof

Design

- Stainless steel control dial
- Cavity inner surface: enamel anthracite

Cleaning

- activeClean

Programmes/functions

- 5.7" TFT touchDisplay Plus
- Electronic oven clock timer
- Digital temperature display with proposal
- Actual temperature display Heating-up indicator Temperature probe
- Drop down oven door, softClose, softOpen
- Bar handle
- cookControl Plus
- bakingSensor
- roastingSensor Plus
- Fast preheat
- coolStart
- LED light, Light on/off when door opened/closed
- Integral cooling fan

Accessories

- 1 x universal pan, 1 x enamel baking tray, 1 x combination grid

Features

- Maximum door temperature 30 °C
- Electronic door lock
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch

Technical information

- Power cord length 150 cm Cable length
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

Performance/technical information



- Appliance dimension (h x w x d): 455 mm x 594 mm x 548 mm

- Niche dimension (h x w x d): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual
- We recommend you to choose complementary products within iQ700, in order to assure an optimal design combination of your Built-In appliances.

iQ700, Built-in compact oven with
microwave function, 60 x 45 cm,
Stainless steel
CM678G4S1

Dimensioned drawings

Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

| Hob type | min. worktop thickness | |
|----------------------------|------------------------|-------|
| | fitted | flush |
| Induction hob | 42 mm | 43 mm |
| Full surface Induction hob | 52 mm | 53 mm |
| Gas hob | 32 mm | 43 mm |
| Electric hob | 32 mm | 35 mm |

