
QUICK REFERENCE GUIDE > DD60STX6HI1

Series 11, Integrated Tall Single DishDrawer Dishwasher

Series 11 | Integrated




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel interior.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- With soft-close drawers, and knock to pause convenience

 Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 44dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Efficient Performance

Our DishDrawer™ Dishwashers use the energy they need without compromising on wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Knife clip and multipurpose clip •

QUICK REFERENCE GUIDE > DD60STX6HI1 Date: 10.09.2025 > 2

Accessories (sold separately)		Controls		Supply frequency	50Hz
Door panel black stainless steel	ADDD60STPB	Electronic fault/Diagnostic indicator	•	Supply voltage	220 - 240V
Door panel recessed handle black stainless	ADDD60STNB	End of cycle beeps	•		
Door panel recessed handle matte black	ADDD60STZB	Energy saving delay start option of up to 12 hours	•	Product dimensions	
glass	ADDDCOCTNY	Internal wash selector	•	Depth	553 mm
Door panel recessed handle stainless steel	ADDDGGSTDY	Keylock	•	Height	454 mm
Door panel stainless steel	ADDD60STPX	Knock to pause	•	Width	599 mm
Handle kit Classic	AHCL-DDDW-60X	Rinse aid indicator light	•		
Handle kit Contemporary round, aluminium		Smart appliance	•		
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Spray arm sensing	•	Wash Program Modifiers	
Handle kit Contemporary square fine, black	AHD5-OBDD-60B			Dry +	•
Handle kit Contemporary square, aluminiur	n AHD3-OBDD-60S			Quiet	•
Handle kit Contemporary square, black	AHD3-OBDD-60B	Features		Sanitise	•
		Built-in water softener	•	Wash modifiers	3
		Fan assisted drying	•		
Capacity and loading		Flood protection	•		
Accommodates round plates up to	310mm	Flow through detergent dispenser	•	Wash Programs	
Adjustable height, foldable cupracks	•	Internal tub material	Stainless steel	60 min	•
Fold down tines	•	Motor type	BLDC	Auto	•
Pitch adjustable tines	•	Quiet operation	•	Eco	•
Place settings	6	SmartDrive™ technology	•	Glassware	•
Wine glass supports with stemware grippe	rs •	Soft close drawer	•	Heavy	•
				Light	•
	_			Medium	•
Consumption		Performance		Rinse	•
Energy rating	D	Noise emissions	44 dBA	Wash programs	8
Energy usage	49kWh/100 cycles	-			
In-use energy carbon emissions estimate	9.5kgCO2e/100 cycles	Power requirements		Water connection	
Water usage (per wash cycle)	6.4L	Amperage	5A	Water pressure	100kPa - 1000kPa

QUICK REFERENCE GUIDE > DD60STX6HI1 Date: 10.09.2025 > 3

Water supply	3/4" BSP (20mm) Connector Water Inlet Hose		
SKU	82174		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Data Sheet (English)

↓ Declaration of Conformity

↓ Energy Label

↓ User Guide - First Use

↓ Planning Guide (English)

Product Information Sheet Integrated Single DishDrawer™ Dishwasher

L Revit

↓ Rhino

↓ SketchUp

User Guide - Care and Maintenance

↓ Standards and Wash Program Data Sheet EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com