# KA-BVI-17B-TO

| | |
|---|---|
| Appliance Designation | Beverage Storage |
| GTIN | 5061068710503 |
| EEI Class | B |
| Rated EEI | 122 |
| Noise Level dB(A) | 36dB |
| Noise Class | B |
| Rated annual energy consumption | 168 kWh/annum |
| Climate Class | T - 18-43°C |
| Compressor | Inverter compressor |
| Refrigerant | R600A |
| Fan Assisted Cooling | Yes |
| Ventilation Required | Plinth ventilation and service channel |
| Temperature Range | 2 to 14°C |
| Zone Type | 1 zones |
| Defrosting Type | Manual |
| Installation | In column / integrated |
| Door | Black glass |
| Door Handle | Push2open |
| Door Open Direction | RH hinged |
| Reversible Door | Yes |
| Door-Open Alarm Function | Yes |
| Lock | No |
| Capacity (L) | 36L |
| Standard Storage Quantity | 28 X 330 mL cans + 6 X 750mL wine |
| Shelves | 1 glass shelf + base shelf |
| Shelf Type | Telescopic rail |
| Light | LED - 3000-6000k (dimmable) + RGB |
| Auto. Lighting Function | Yes |
| Control | TFT touch display - full colour |
| Control Display Colour | Full colour |
| Charcoal Filter | Yes |
| Softclose | Yes |
| Heating Ability | No |
| Internal Humidity | 55-85% - automatic |
| Vibration Free | Yes |
| Power Lead Length | 1.5m |
| Adjustable Feet | Yes - 15mm |
| Warranty | 3 years P & L |

**Body Dimension / Weight**

H455 x W595 x D575mm

38kg


**Packing Dimension / Weight**

H575 x W700 x D700mm

41kg




## ENERGY LABEL





## BOTTLE LOADING

BOTTLE LOADING DIAGRAM




Please note - largerbottlesmay require a shelfremoving and the stated capacity will decrease from 6 Bordeaux bottles. the stated capacity will decrease from 28 cans

# INSTALLATION



# PRODUCT DIMENSIONS

