KA-WBV99PANEL-TO

Appliance Designation	Wine Storage
GTIN	5061068710572
EEI Class	G
Rated EEI	149
Noise Level dB(A)	38dB
Noise Class	C
Rated annual energy consumption	159 kWh/annum
Climate Class	T - 18-43°C
Compressor	Inverter compressor
Refrigerant	R600A
Fan Assisted Cooling	Yes
Ventilation Required	Plinth ventilation and service channel
Temperature Range	2 to 14 UPPER, 5 to 20 LOWER
Zone Type	2 zones
Defrosting Type	Manual
Installation	In column / integrated
Door	Panel ready - triple glazed
Door Handle	No, push2open mechanism
Door Open Direction	RH hinged
Reversible Door	Yes
Door-Open Alarm Function	Yes
Lock	No
Capacity (L)	255L
Standard Storage Quantity	175 X 330mL cans + 54 X 750mL bottles
Shelves	11 Telescopic shelves, 1 fixed lower
Shelf Type	Glass UPPER, Beech wood LOWER
Light	LED - 3000 to 6000k (dimmable) + RGB
Auto. Lighting Function	Yes
Control	TFT touch control display
Control Display Colour	Full colour
Charcoal Filter	Yes
Softclose	Yes
Heating Ability	Yes
Internal Humidity	55-85% - automatic
Vibration Free	Yes
Power Lead Length	1.5m
Adjustable Feet	Yes - 15mm
Warranty	3 years P & L

Body Dimension / Weight

H1790 x W595 x D575mm

96kg


Packing Dimension / Weight

H1920 x W730 x D710mm


112kg



ENERGY LABEL




BOTTLE LOADING




PLEASE NOTE - LARGER BOTTLES MAY REQUIRE A SHELF REMOVING, AND THE STATED CAPACITY WILL DECREASE FROM 54 BORDEAUX BOTTLES/175 CANS

Panel information



	A（mm）	B（mm）	C（mm）	D（mm）	X（mm）	Max weight (kg)
WBV99PANEL-TO	595	1788 min	400 max	1543 max	13-22	17

INSTALLATION



PRODUCT DIMENSIONS

